

SIXTIES







A STORY WITH A GREAT FUTURE







RATIONAL AND COMPACT DESIGN

MADE IN INOX OR DISTRESSED BRASS

ADVANCED TECHNOLOGY. TOP QUALITY INTO THE CUP

SIXTIES HL1. 2 UNITS AUTOMATIC. ULTRA POLISHED BRASS

SMALL AND LARGE ITALIAN PLEASURES



SIXTIES T1. 1 UNIT AUTOMATIC. ULTRA POLISHED INOX



DISCRETE CHARM



SIXTIES T3. 2 UNITS AUTOMATIC. ULTRA POLISHED INOX









- 01. BREWING TEMPERATURE ELECTRONIC CONTROL AND SETTING
- 02. DISPENSER UNIT WITH HIGH HEAT STABILITY
- 03. AUTOMATIC 5 DOSES DEVICE
- 04. STEAM/WATER TAP WITH PIVOTING LEVER CONTROL AND JOINTED STAINLESS STEEL NOZZLES
- 05. HIGH PRECISION GAUGE WITH DOUBLE SCALE
- 06. METAL BODY, INOX OR BRASS ULTRA POLISHED
- 07. REDUCED ENERGY CONSUMPTION / PROGRAMMABLE NIGHT CYCLE
- 08. INCORPORATED MOTOR AND POSITIVE-DISPLACEMENT PUMP, WITH VIBRATION-DAMPING FASTENING
- 09. STEEL FRAME WITH ANTI-TWIST UNIT CONNECTIONS
- 10. HEAT EXCHANGERS ACCESIBLE FOR INSPECTION



PLUS





EXCLUSIVE BREWING
TEMPERATURE ELECTRONIC

Electronic control of the boiler water temperature.

Precise adjustment of the brewing temperature (+/- 1°C).

For a top quality into the cup.

02

DISPENSER UNIT
WITH HIGH HEAT STABILITY

Exclusive dispenser unit with high thermic stability thanks to over 2 kg of weight.

03

AUTOMATIC 5 DOSES

Sturdy push-button panel, with mechanical "soft-touch" coffee dispensing buttons.

SIXTIES





04

STEAM/WATER TAP
WITH PIVOTING LEVER CONTROL

Steam/water tap with pivoting lever control and jointed stainless steel wands.

05

HIGH PRECISION GAUGE WITH DOUBLE SCALE

06

VALUABLE METAL BODY

Metal body, inox or brass ultra polished. Hand-assembled.

07



REDUCED CONSUMPTION

Programmable night cycle: reduces energy consumption.







MODELS

T 1	1 DELIZIOSA		Automatic	Ultra polished Inox
Т 3	COMPACT	2 Units	Automatic	Ultra polished Inox
HL1	COMPACT	2 Units	Automatic	Distressed Brass

TECHNICAL DATA

Units	Boiler capacity	Voltage	Frequency	Power	Height	Width	Depth	Weight	Shipping weight	Finishing
N°	L	V	Hz	W	cm-inches	cm-inches	cm-inches	kg-lbs	kg-lbs	
1	6	110-230	50/60	2200	44-17,3	34-13,4	50-19,6	35-77	38-83	Inox
2	9	230-400	50/60	3700	44-17,3	51-20	51-20	46-101	52-114	Inox Brass



ITALIAN ESPRESSO COFFEE MACHINES



Elektra srl

Via A. Volta, 18 - 31030 Dosson di Casier (Treviso) Italia
Tel. +39 0422 490405 r.a. - Fax +39 0422 490620
info@elektrasrl.com - www.elektrasrl.com

